

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2026



Version number 1

Revision: 21.05.2026

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** SHERAprint-gingiva 2.0
- **Article number:** SD400102
- **UFI:** CK20-C0GG-J008-PSCH
- **1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
No further relevant information available.
- **Application of the substance / the mixture:** 3D printing material
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SHERA Werkstoff-Technologie GmbH  
Espohlstraße 53  
D-49448 Lemförde  
GERMANY  
sdb@shera.de  
+ 49 (0) 54 43 - 9933 - 0
- **Further information obtainable from:** Department of product security.
- **1.4 Emergency telephone number:**  
Giftinformationszentrum-Nord +49 (0) 551-19240  
(Information in german or english)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008:**  
Skin Irrit. 2            H315 Causes skin irritation.  
Eye Irrit. 2            H319 Causes serious eye irritation.  
Skin Sens. 1            H317 May cause an allergic skin reaction.  
Aquatic Chronic 2    H411 Toxic to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008:**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms:**  
   
GHS07    GHS09
- **Signal word:** Warning
- **Hazard-determining components of labelling:**  
Trimethylolpropanformalacrylat  
ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate  
phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide  
2,2-bis(acryloyloxymethyl)butyl acrylate
- **Hazard statements:**  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H411 Toxic to aquatic life with long lasting effects.
- **Precautionary statements:**  
P261                    Avoid breathing mist/vapours/spray.  
P273                    Avoid release to the environment.  
P280                    Wear protective gloves / eye protection.  
P302+P352            IF ON SKIN: Wash with plenty of water.

(Contd. on page 2)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2026

Version number 1

Revision: 21.05.2026

**Trade name: SHERAprint-gingiva 2.0**

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents / container in accordance with local / regional / national / international regulations.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Acrylic/methacrylate resins with additives.

- **Dangerous components:**

CAS: 66492-51-1 EINECS: 266-380-7 Reg.nr.: 01-2119976303-36	Trimethylolpropanformalacrylat Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1B, H317	25-90%
	Acrylic resin Skin Irrit. 2, H315; Eye Irrit. 2, H319	10-40%
CAS: 444649-70-1 Reg.nr.: 01-2120271347-53	Acrylate resin Aquatic Chronic 2, H411	10-40%
CAS: 5187-23-5 EINECS: 225-967-8 Reg.nr.: 01-2119954531-39	5-ethyl-1,3-dioxane-5-methanol Eye Irrit. 2, H319	1-10%
CAS: 84434-11-7 EINECS: 282-810-6 Reg.nr.: 01-2119987994-10	ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate Aquatic Chronic 2, H411; Skin Sens. 1B, H317	0.1-2.5%
CAS: 15625-89-5 EINECS: 239-701-3 Index number: 607-111-00-9	2,2-bis(acryloyloxymethyl)butyl acrylate Carc. 2, H351; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	0.25-<1%
CAS: 162881-26-7 ELINCS: 423-340-5 Index number: 015-189-00-5 Reg.nr.: 01-2119489401-38	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide Skin Sens. 1A, H317; Aquatic Chronic 4, H413	0.1-5%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
In case of skin irritation, seek medical treatment.  
Remove dirty clothing and wash before using again.  
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.

(Contd. on page 3)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31



Printing date 21.05.2026

Version number 1

Revision: 21.05.2026

**Trade name: SHERAprint-gingiva 2.0**

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fire with alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon dioxide (CO<sub>2</sub>).  
Carbon monoxide (CO).  
Pyrolysis products, toxic.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information**  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation.  
Use respiratory protective device against the effects of fumes / dust / aerosol.  
Wear protective clothing.  
Avoid contact with skin and eyes.
- **6.2 Environmental precautions**  
Do not allow to enter sewers / surface or ground water.  
Dilute with plenty of water.
- **6.3 Methods and material for containment and cleaning up**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Devices with local extraction are to be used for open handling.  
Ensure good ventilation / exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**  
Store only in the original receptacle.  
Keep container in a well-ventilated, cool and dry place.  
Store only in the tightly closed original container at room temperature.  
Keep away from light.  
Might polymerize with high heat release.  
Storage temperature between 4 and 28°C.

(Contd. on page 4)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31



Printing date 21.05.2026

Version number 1

Revision: 21.05.2026

Trade name: SHERAprint-gingiva 2.0

(Contd. of page 3)

- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Do not store in a protective gas environment, as oxygen (in the air) is required for stabilisation.  
Keep container tightly sealed.
- **Storage class:** No information available.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs:**

#### 444649-70-1 Acrylate resin

Dermal	DNEL Worker - Long Term - Systemic effects	0.93 mg/kg (workers)
Inhalative	DNEL Worker - Long Term - Systemic effects	3.29 mg/m <sub>3</sub> (workers)

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**  
Ensure good ventilation / exhaustion at the workplace.  
The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- **Material of gloves:**  
Nitrile rubber, NBR  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection**



Tightly sealed goggles

(Contd. on page 5)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2026

Version number 1

Revision: 21.05.2026

Trade name: SHERAprint-gingiva 2.0

(Contd. of page 4)

- **Body protection:** Protective work clothing.

#### SECTION 9: Physical and chemical properties

##### · 9.1 Information on basic physical and chemical properties

###### · General Information

· <b>Colour:</b>	Pink
· <b>Odour:</b>	characteristic
· <b>Melting point/freezing point:</b>	Undetermined.
· <b>Boiling point or initial boiling point and boiling range</b>	>100 °C
· <b>Flammability</b>	Not applicable.
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Flash point:</b>	>100 °C
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined.
· <b>Dynamic at 20 °C:</b>	500-1,000 mPas
· <b>Solubility</b>	
· <b>water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
· <b>Vapour pressure:</b>	Not determined.
· <b>Density and/or relative density</b>	
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.

##### · 9.2 Other information

· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Solvent content:</b>	
· <b>Solids content:</b>	0.0 %
· <b>Change in condition:</b>	
· <b>Evaporation rate</b>	Not determined.

##### · Information with regard to physical hazard classes

· <b>Explosives</b>	Void.
· <b>Flammable gases</b>	Void.
· <b>Aerosols</b>	Void.
· <b>Oxidising gases</b>	Void.
· <b>Gases under pressure</b>	Void.
· <b>Flammable liquids</b>	Void.
· <b>Flammable solids</b>	Void.
· <b>Self-reactive substances and mixtures</b>	Void.
· <b>Pyrophoric liquids</b>	Void.
· <b>Pyrophoric solids</b>	Void.
· <b>Self-heating substances and mixtures</b>	Void.
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void.

(Contd. on page 6)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2026

Version number 1

Revision: 21.05.2026

Trade name: SHERAprint-gingiva 2.0

(Contd. of page 5)

· <b>Oxidising liquids</b>	Void.
· <b>Oxidising solids</b>	Void.
· <b>Organic peroxides</b>	Void.
· <b>Corrosive to metals</b>	Void.
· <b>Desensitised explosives</b>	Void.

#### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No data available.
- **10.2 Chemical stability** No decomposition if used according to specifications.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with acids, alkalis and oxidising agents.
- **10.4 Conditions to avoid**  
The product hardens under the influence of visible and UV light. Therefore, keep them in closed containers at 4 ° C -28 ° C with complete exclusion of light.
- **10.5 Incompatible materials**  
Oxidizing agents.  
Reducing agents.  
Acids.  
Alkalis (alkalis).  
Metal.
- **10.6 Hazardous decomposition products**  
If the product is exposed to fire, it can release caustic acrylate vapours.

#### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

**444649-70-1 Acrylate resin**

Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rabbit)

**5187-23-5 5-ethyl-1,3-dioxane-5-methanol**

Oral	LD50	>2,000 mg/kg (Rat) (OECD 401)
------	------	-------------------------------

**84434-11-7 ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate**

Oral	LD50	>5,000 mg/kg (Rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (Rat)

**15625-89-5 2,2-bis(acryloyloxymethyl)butyl acrylate**

Oral	LD50	5,710 mg/kg (Rat)
Dermal	LD50	5,170 mg/kg (Rabbit)

**162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide**

Oral	LD50	>2,000 mg/kg (Rat) (OECD 402)
------	------	-------------------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation**  
May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2026

Version number 1

Revision: 21.05.2026

Trade name: SHERAprint-gingiva 2.0

(Contd. of page 6)

- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

## SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

**444649-70-1 Acrylate resin**

EC50	8.3 mg/l (Algae) (OECD 201)
	17 mg/l (Daphnia (Daphnia magna)) (OECD 202)
LC50/96 h	1.3 mg/l (Fish) (OECD 203)

**5187-23-5 5-ethyl-1,3-dioxane-5-methanol**

EC50/48h	2,466 mg/l (Daphnia (Daphnia magna))
LC50/96 h	>1,000 mg/l (Fish)

**84434-11-7 ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate**

LC50/96 h	1.89 mg/l (Fish)
-----------	------------------

**162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide**

LC50/96 h	>0.09 mg/l (Fish)
EC50/48 h	>1.175 mg/l (Daphnia (Daphnia magna))
NOEC	>0.008 mg/l (Daphnia (Daphnia magna))

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Toxic for fish.
- **Additional ecological information:**
- **General notes:**  
Also poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation:**

Smaller quantities could be cured with light and can be disposed of as household waste. Larger quantities shall be disposed of as special waste in accordance with local regulations.

- **Waste disposal key:**

The waste disposal code as prescribed in the European Waste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.

(Contd. on page 8)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31



Printing date 21.05.2026

Version number 1



Revision: 21.05.2026

Trade name: SHERAprint-gingiva 2.0

(Contd. of page 7)

- **European waste catalogue:**  
According to EAKV, allocation of waste identity numbers / waste descriptions must be carried out in a specific way for every industry and process.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

#### SECTION 14: Transport information

<ul style="list-style-type: none"> <li>· <b>14.1 UN number or ID number</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>	UN3082
<ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul>	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Trimethylolpropanformalacrylat, Acrylate resin)  ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Trimethylolpropanformalacrylat, Acrylate resin), MARINE POLLUTANT  ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Trimethylolpropanformalacrylat, Acrylate resin)
<ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>	<div style="display: flex; align-items: center; gap: 10px;">   </div> <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	9 Miscellaneous dangerous substances and articles. 9
<ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>	III
<ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> <li>· <b>Special marking (ADR):</b></li> <li>· <b>Special marking (IATA):</b></li> </ul>	Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
<ul style="list-style-type: none"> <li>· <b>14.6 Special precautions for user</b></li> <li>· <b>Hazard identification number (Kemler code):</b></li> <li>· <b>EMS Number:</b></li> <li>· <b>Stowage Category</b></li> </ul>	Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F A
<ul style="list-style-type: none"> <li>· <b>14.7 Maritime transport in bulk according to IMO instruments</b></li> </ul>	Not applicable.
<ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> </ul>	<hr style="border-top: 1px dashed #000;"/> <ul style="list-style-type: none"> <li>· <b>ADR</b></li> <li>· <b>Limited quantities (LQ):</b></li> <li>· <b>Excepted quantities (EQ):</b></li> <li>· <b>Transport category:</b></li> <li>· <b>Tunnel restriction code:</b></li> <li>· <b>Remarks:</b></li> </ul>
<ul style="list-style-type: none"> <li>· <b>Limited quantities (LQ):</b></li> <li>· <b>Excepted quantities (EQ):</b></li> <li>· <b>Transport category:</b></li> <li>· <b>Tunnel restriction code:</b></li> <li>· <b>Remarks:</b></li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 (-) SV 375: These substances, when carried in single or combination packagings of a net quantity not exceeding

(Contd. on page 9)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2026

Version number 1

Revision: 21.05.2026

Trade name: SHERAprint-gingiva 2.0

(Contd. of page 8)

	5 litres of liquids or a net mass not exceeding 5 kg of solids per single or combination packaging, are not subject to the other provisions of ADR, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
<ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ):</b></li> <li>· <b>Excepted quantities (EQ):</b></li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<ul style="list-style-type: none"> <li>· <b>IATA</b></li> <li>· <b>Remarks:</b></li> </ul>	A 197: These substances are not subject to other provisions of these Regulations when carried in single or combination packagings with a net quantity per single or inner packaging not exceeding 5L for liquids and a net weight not exceeding 5kg for substances, provided the packagings meet the general requirements of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.
<ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul>	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIMETHYLOLPROPANFORMALACRYLAT, ACRYLATE RESIN), 9, III

#### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Directive 2012/18/EU** None

- **Named dangerous substances - ANNEX I**

None

None of the ingredients is listed.

- **Seveso category** E2 Hazardous to the Aquatic Environment

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t

- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

(Contd. on page 10)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31



Printing date 21.05.2026

Version number 1

Revision: 21.05.2026

**Trade name: SHERAprint-gingiva 2.0**

(Contd. of page 9)

- **National regulations:**
- **Information about limitation of use:**  
Employment restrictions concerning juveniles must be observed.  
Employment restrictions concerning pregnant and lactating women must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in an unchanged state is permissible.

- **Relevant phrases**  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H351 Suspected of causing cancer.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H413 May cause long lasting harmful effects to aquatic life.
- **Department issuing SDS:** Department of product security.
- **Date of previous version:** 21.05.2026
- **Abbreviations and acronyms:**  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Skin Sens. 1: Skin sensitisation – Category 1  
Skin Sens. 1A: Skin sensitisation – Category 1A  
Skin Sens. 1B: Skin sensitisation – Category 1B  
Carc. 2: Carcinogenicity – Category 2  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2  
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4
- **\* Data compared to the previous version altered.**

EU